



The
J.J. Ugland
Companies
Ugland Construction

UR 7



- Length: 91,4 m | Beam: 27,4 m
- Deck area of 2 508 m²
- High deck strength of 25 t/m²
- 1600 m³/h ballasting capacity
- BWTS IMO & USCG approved
- DNV Class & Norwegian Flag

Ugland Construction AS
Haakon VII's gt. 8
4005 Stavanger
Norway

+47 51 56 43 00
uc@jjuc.no
www.uglandconstruction.no



General Data

Year Built	1999
Class	Lloyd's Register
Call Sign	LK6683 9204582
Builder	Sevmash Yard
Owner	Ugland Barge Shipping AS

Dimensions

Length, overall	91.440 m
Breadth, moulded	27,432 m
Depth, moulded	6,096 m
Draught, fully loaded	4,84 m
Web Frame Spacing	2,286 m
Gross Tonnage	4068 t
Net Tonnage	1220 t

Capacity

Deadweight	9748 t
Lightship	1850 t
Deck Space	2508 m ²
Deck Strength	25 t/ m ²
Long. Bulkheads/ Side shell and Transv. Frames	260 t
Long. Bulkheads/ Transv. Bulkheads and Transv. Frames	200 t
Transv. Bulkheads	130 t

Mooring/ Towing/ Fendering Arrangement

Anchor Wire	1000 m, dia. 32 mm
Towing Arr.	Chain/Wire bridle with Triangle Plate Manual Retriever Winch and Smit Brackets SWL 85T
Emergency Arr.	Chain/Wire with 110m pick up line and buoy SWL. 85T
Bollards	On Deck (12 pcs. - 28T SWL)
Fendering	2 tiers of horizontal steel fenders each side 1 fendered ship side steel ladder each side

Equipment

Ballast Pumps (Diesel Driven)	2x 800 m ³ /h
Ballast Tanks	20
Ballast Water Treatment System	Filtration + UV (1000 m ³ /h)
Alternator	1x 107kW, Diesel Driven Engine
Auxiliaries	3x Radiator Cooled Diesel Engines <i>For Emergency Only</i>
Anchor	1 Pool Anchor (6300 kg)
Anchor Winch	1x Hydraulic Winch
Lights	Solar Powered Navigation Lights Electric Lights in Pump Room and Deck Containers 3x220V and 3x400V intakes for Lights, Heaters, Air-Dehumidifier and Battery Chargers
Shore Connection	
Ventilation	Electric Ventilation Fan in Pump Room



